

nineteen ninety five

# TAURUS

maintenance schedule & record



FCS-12058-95MS/P1

JULY 1994 FIRST PRINTING 1995 MAINTENANCE SCHEDULE

TAURUS Litho in U.S.A.

# **General Information**

/ehicle Ide	entifi	cati	on l	Vui	mbe	er:							
Dwner Na	me:	81,	TH.	95	Vi	207		T V				M	
Address:						1572		0 18		法县	11.7		
	44.	ų i		3							1	eiV.	
Phone:									1-	lpri.	2), J.).		
Selling De	aler	Nan	ne:_	L	1		10				30.1 1 G. 7	MUENE.	
Address:													
Phone:									,			- 12	
110110.						+			_				

If you live in the U.S. and have any questions or concerns that the dealership cannot answer, contact the Customer Assistance Center.

Ford Motor Company Customer Assistance Center 300 Renaissance Center P.O. Box 43360 Detroit, MI 48243 1-800-392-3673 (FORD) TDD for the hearing impaired: 1-800-232-5952

If you live in Canada, contact:

Customer Assistance Centre Ford Motor Company of Canada, Limited P.O. Box 2000 Oakville, Ontario L6J 5E4 1-800-565-3673 (FORD)

## **Table of Contents**

Maintenance Schedule and Record	3
General Maintenance Information	3
Maintenance: An investment	3
No Cost PCV Valve Replacement	
(3.0L Engine Only;	
excluding SHO)	4
What Maintenance Schedule Do You	
Follow?	5
Normal Schedule	6
Severe Duty Schedule	16
Owner Maintenance Checks	30

All rights reserved. Reproduction by any means, electronic or mechanical, including photocopying, recording, or by any information storage and retrieval system or translation in whole or part is not permitted without written authorization from Ford Motor Company.

Copyright © 1994, Ford Motor Company

# Maintenance Schedule and Record

Maximum Oil Change Interval...

Normal Schedule: 5,000 miles (8,000 km) or 6 months, whichever occurs first.

Severe Duty Schedule: 3,000 miles (5,000 km) or 3 months

See appropriate Schedule.

## General Maintenance Information

The required Scheduled Maintenance Services listed in this booklet are considered essential to the proper operation, safety and performance of your Ford Motor Company vehicle. We recommend that you also perform the Owner Maintenance Checks listed. These services are matters of day-to-day care that are also important to the proper operation of your vehicle. The recommended lubricants, fluids and service parts conforming to Ford Specifications are available from your dealer.

This booklet gives you a place to record the services that are performed on your vehicle so that you can keep a record of when parts should be checked or replaced. Give your *Maintenance Schedule and Record* booklet to the dealer service manager.

#### Maintenance: An investment

An investment which will pay dividends in the form of improved reliability, durability, and resale value.

No Cost PCV Valve Replacement (3.0L Engine Only; excluding SHO)

THE PCV VALVE IS A CRITICAL EMISSION COMPONENT. YOUR DEALER WILL REPLACE THE VALVE AT NO COST AT 60,000 MILES/96,000 KILOMETERS (EXCEPT CANADA AND CALIFORNIA VEHICLES).

To assure the durability of your vehicle and its emission control systems, it is necessary that scheduled maintenance be performed at the designated intervals.

Ford recommends the use of genuine Ford replacement parts. You may, however, elect to have maintenance, replacement, or repair of the emissions control devices and systems (the cost of which is not covered by warranty) performed by any automotive repair establishment or individual and may elect to use other than Ford service parts for such maintenance or repair. If other than Ford or Motorcraft parts or Ford authorized, remanufactured parts are used for maintenance replacements or for the service of components affecting emissions control, the owner should be assured that such parts are warranted by their manufacturer to be equivalent to genuine Ford Motor Company parts in performance and durability. Please consult your warranty booklet for complete warranty information.

#### PRE-DELIVERY CHECK

Pre-Delivery Service Inspection Completed	
DEALER AUTHORIZATION	
Date:	_
Mileage:	_

# What Maintenance Schedule Do You Follow?

## Normal Schedule

Follow the Normal Schedule for most normal everyday driving conditions.

## Severe Duty Schedule

Follow the Severe Duty Schedule if your driving habits **FREQUENTLY** include one or more of the following conditions:

- Towing a trailer.
- Operating in severe dust conditions.
- Extensive idling, such as police, taxi or door-to-door delivery service.
- Short trips of less than 10 miles (16 km) when outside temperatures remain below 0°F (-18°C).

## Normal Schedule

NOTE: Items for Emission Control Service are shown in this type and style.

For items marked with a number in parentheses such as (1), see footnote at the end of this section.

> Regular Maintenance Intervals for the Normal Schedule

## 5,000 MILES (8,000 Kilometers)

🔲 Change engine oil and replace oil j	filter
---------------------------------------	--------

Rotate tires and adjust DEALER AUTHORIZATION	
	Date:
10,000 MILES (16,	,000 Kilometers)
Change engine oil and re	place oil filter.
DEALER AUTHORIZATION	
	Date:
	Mileage:

15,000 MILES (24)	,000 Kilometers)
Change engine oil and re	eplace oil filter.
Inspect engine cooling sy and check coolant strengt (24,000 km) or 12 mont	th every 15,000 miles
Rotate tires and adjust	air pressure.
DEALER AUTHORIZATION	1
	Date:
20,000 MILES (32)	,000 Kilometers)
Change engine oil and re	11 Tres (Tech Schwerz)
	Date:
	Mileage:
25,000 MILES (40,	,000 Kilometers)
Change engine oil and re	place oil filter.
Check battery fluid lev months or 25,000 miles	
Rotate tires and adjust	air pressure.
DEALER AUTHORIZATION	
	Date:
	Mileage:
and the property of the second	

Normal Schedule 7

ge engine oil and replace oil filter.  ct engine cooling system, hoses, and clamps; heck coolant strength every 15,000 miles 00 km) or 12 months.  e tires and adjust air pressure.  AUTHORIZATION  Date:  Mileage:  7000 MILES (80,000 Kilometers)  ge engine oil and replace oil filter.  ge engine coolant initially at 50,000 miles
heck coolant strength every 15,000 miles 00 km) or 12 months.  e tires and adjust air pressure.  AUTHORIZATION  Date: Mileage:  7000 MILES (80,000 Kilometers)  ge engine oil and replace oil filter.
Date:  Mileage:  Mod MILES (80,000 Kilometers)  ge engine oil and replace oil filter.
Date: Mileage:  ,000 MILES (80,000 Kilometers)  ge engine oil and replace oil filter.
Mileage:  ,000 MILES (80,000 Kilometers)  ge engine oil and replace oil filter.
,000 MILES (80,000 Kilometers) ge engine oil and replace oil filter.
ge engine oil and replace oil filter.
re enoine coolant initially at 50 000 miles
of km) or 48 months. Thereafter, change coolant every 30,000 miles (48,000 km) or on this.
battery fluid level (SHO only) every 24
hs or 25,000 miles (40,000 km).
AUTHORIZATION
Date:
Mileage:
.000 MILES (88,000 Kilometers)
e engine oil and replace oil filter.
e tires and adjust air pressure.
AUTHORIZATION
Date:
A 0.001

8 Normal Schedule

Normal Schedule 9

60,000 MILES (96,000 Kilometers)	70,000 MILES (112,000 Kilometers)
<ul> <li>☐ Change engine oil and replace oil filter.</li> <li>☐ Replace spark plugs.</li> <li>☐ Inspect accessory drive belt(s).</li> <li>☐ Replace air cleaner filter.</li> <li>☐ Replace PCV valve (3.0L and 3.8L engines only).</li> </ul>	Change engine oil and replace oil filter.  DEALER AUTHORIZATION  Date:  Mileage:
- (2)	75,000 MILES (120,000 Kilometers)
Inspect engine cooling system, hoses, and clamps; and check coolant strength every 15,000 miles	Change engine oil and replace oil filter.
(24,000 km) or 12 months.  Change automatic transaxle fluid.	Inspect engine cooling system, hoses, and clamps; and check coolant strength every 15,000 miles (24,000 km) or 12 months.
☐ Inspect exhaust heat shield(s). ☐ Inspect front and rear brakes. (1)	Check battery fluid level (SHO only) every 24 months or 25,000 miles (40,000 km).
DEALER AUTHORIZATION	Rotate tires and adjust air pressure.
Date: Mileage:	DEALER AUTHORIZATION  Date:
65,000 MILES (104,000 Kilometers)	Mileage:
Change engine oil and replace oil filter.	80,000 MILES (128,000 Kilometers)
Rotate tires and adjust air pressure.	Change engine oil and replace oil filter.
DEALER AUTHORIZATION	Change engine coolant every 30,000 miles (48,000 km) or 36 months.
Date: Mileage:	DEALER AUTHORIZATION
	Date:
	Mileage:

85,000 MILES (136,000 Kilometers)	95,000 MILES (152,000 Kilometers)
Change engine oil and replace oil filter.  Rotate tires and adjust air pressure.  DEALER AUTHORIZATION  Date: Mileage:	Change engine oil and replace oil filter.  Rotate tires and adjust air pressure.  DEALER AUTHORIZATION  Date:  Mileage:
90,000 MILES (144,000 Kilometers)	100,000 MILES (160,000 Kilometers)
Change engine oil and replace oil filter.	Change engine oil and replace oil filter.
Replace spark plugs — 3.8L V-6 (except 3.8L V-6 California)	Replace camshaft drive belt and adjust valve lash (3.0L/3.2L SHO models only).
Inspect accessory drive belt(s).	Check battery fluid level (SHO only) every 24 months or 25,000 miles (40,000 km).
<ul> <li>□ Replace air cleaner filter.</li> <li>□ Inspect engine cooling system, hoses, and clamps; and check coolant strength every 15,000 miles (24,000 km) or 12 months.</li> <li>□ Change automatic transaxle fluid.</li> </ul>	DEALER AUTHORIZATION  Date: Mileage:
Inspect exhaust heat shield(s).	105,000 MILES (168,000 Kilometers)
☐ Inspect front and rear brakes. (1)	Change engine oil and replace oil filter.
DEALER AUTHORIZATION  Date:	Inspect engine cooling system, hoses, and clamps; and check coolant strength every 15,000 miles (24,000 km) or 12 months.
Mileage:	Rotate tires and adjust air pressure.  DEALER AUTHORIZATION
	Date:

110,000 MILES (176,000 Kilometers)	
Change engine oil and replace oil filter.	
Change engine coolant every 30,000 miles (48,000 km) or 36 months.	
DEALER AUTHORIZATION	
Date:	
Mileage:	ŧ.
115,000 MILES (184,000 Kilometers)	
Change engine oil and replace oil filter.	160
Rotate tires and adjust air pressure.	
DEALER AUTHORIZATION	
Date:	4
Mileage:	+0
120,000 MILES (192,000 Kilometers)	
Change engine oil and replace oil filter.	
Replace spark plugs.	
☐ Inspect accessory drive belt(s).	
Replace air cleaner filter.	
Replace PCV valve (3.0L and 3.8L engines only	1)
Inspect engine cooling system, hoses, and clamp and check coolant strength every 15,000 miles (24,000 km) or 12 months.	

Change automatic transaxle fluid.	
Inspect exhaust heat shield(s).	
Inspect front and rear brakes. (1)	
Check battery fluid level (SHO or months or 25,000 miles (40,000 km	nly) every 2 n).
DEALER AUTHORIZATION	
Date	ar of gar lo
Mileage	i <u> </u>
<ul><li>(1) If your driving habits include continuous s driving or driving in hilly areas, more fre intervals may be required.</li><li>(2) At 60,000 miles (96,000 km) your dealer w</li></ul>	equent
PCV valve at no cost on 3.0L engines (no except California and Canada vehicles.	on-SHO)

# Severe Duty Schedule

NOTE: Items for Emission Control Service are shown in this type and style.

For items marked with a number in parentheses such as (1), see footnote at the end of this section.

NOTE: The Severe Duty Schedule provides maintenance intervals for replacing your air cleaner filter if you drive in severe dust conditions. However, the conditions you drive in may require even more frequent air cleaner replacement intervals than those shown. Check with your dealer.

Maintenance Intervals for Severe Duty Schedule

#### 3,000 MILES (5,000 Kilometers)

Change	engine	oil	and	replace	oil	filter.
DEALER A	UTHO	RIZ	ATIC	NC		

Date: \_\_\_\_\_

6,000 MILES (10,00	00 Kilometers)
Change engine oil and repl	lace oil filter.
Rotate tires and adjust a	ir pressure.
DEALER AUTHORIZATION	
	Date:
	Mileage:
9,000 MILES (15,00	00 Kilometers)
Change engine oil and rep	lace oil filter.
DEALER AUTHORIZATION	
	Date:
	Mileage:
12,000 MILES (20,0	000 Kilometers)
Change engine oil and rep	
DEALER AUTHORIZATION	,
	D
	Date:
The state of the s	
15,000 MILES (25,0	000 Kilometers)
Change engine oil and rep	lace oil filter.
Inspect engine cooling system and check coolant strength (25,000 km) or 12 months	every 15,000 miles

Rotate tires and adjust air pressure.	27,000 MILES (45,000 Kilometers)
DEALER AUTHORIZATION  Date:	Change engine oil and replace oil filter.  DEALER AUTHORIZATION
18,000 MILES (30,000 Kilometers)	Date:
Change engine oil and replace oil filter.	30,000 MILES (50,000 Kilometers)
DEALER AUTHORIZATION	Change engine oil and replace oil filter.
Date:	Replace spark plugs — 3.8L V-6 (except 3.8L V-6 California)
Mileage:	Replace air cleaner filter.
21,000 MILES (35,000 Kilometers)  Change engine oil and replace oil filter.	Inspect engine cooling system, hoses, and clamps; and check coolant strength every 15,000 miles (25,000 km) or 12 months.
Change automatic transaxle fluid.	Inspect exhaust heat shield(s).
DEALER AUTHORIZATION	Inspect front and rear brakes. (1)
Date:	DEALER AUTHORIZATION
24,000 MILES (40,000 Kilometers)	Date: Mileage:
Change engine oil and replace oil filter.	33,000 MILES (55,000 Kilometers)
<ul> <li>□ Check battery fluid level (SHO only) every 24 months or 24,000 miles (40,000 km).</li> <li>□ Rotate tires and adjust air pressure.</li> <li>DEALER AUTHORIZATION</li> <li>Date:</li></ul>	Change engine oil and replace oil filter.  Rotate tires and adjust air pressure.  DEALER AUTHORIZATION  Date:  Mileage:

18 Severe Duty Schedule

Severe Duty Schedule 19

36,000 MILES (60,000 Kilometers)	48,000 MILES (80,000 Kilometers)
Change engine oil and replace oil filter.	Change engine oil and replace oil filter.
DEALER AUTHORIZATION  Date:  Mileage:	Change engine coolant initially at 48,000 miles (80,000 km) or 48 months. Thereafter, change engine coolant every 30,000 miles (50,000 km) or 36 months.
39,000 MILES (65,000 Kilometers)  Change engine oil and replace oil filter.	Check battery fluid level (SHO only) every 24 months or 24,000 miles (40,000 km).
DEALER AUTHORIZATION	DEALER AUTHORIZATION
Date:	Date: Mileage:
	51,000 MILES (85,000 Kilometers)
42,000 MILES (70,000 Kilometers)  ☐ Change engine oil and replace oil filter. ☐ Change automatic transaxle fluid. ☐ Rotate tires and adjust air pressure.	☐ Change engine oil and replace oil filter. ☐ Rotate tires and adjust air pressure. DEALER AUTHORIZATION
DEALER AUTHORIZATION	Date:
Date:	54,000 MILES (90,000 Kilometers)
45,000 MILES (75,000 Kilometers)	Change engine oil and replace oil filter.
Change engine oil and replace oil filter.	DEALER AUTHORIZATION
Inspect engine cooling system, hoses, and clamps; and check coolant strength every 15,000 miles (25,000 km) or 12 months.	Date:
DEALER AUTHORIZATION	
Data	
Date: Mileage:	

	63,000 MILES (105,000 Kilometers)
57,000 MILES (95,000 Kilometers)  Change engine oil and replace oil filter.  DEALER AUTHORIZATION  Date: Mileage:	Change engine oil and replace oil filter.  Change automatic transaxle fluid.  DEALER AUTHORIZATION  Date:  Mileage:
60,000 MILES (100,000 Kilometers)	66,000 MILES (110,000 Kilometers)
☐ Change engine oil and replace oil filter. ☐ Replace spark plugs. ☐ Inspect accessory drive belt(s). ☐ Replace air cleaner filter. ☐ Replace DCV radge (3.01 and 3.81 angines only)	Change engine oil and replace oil filter.  DEALER AUTHORIZATION  Date:  Mileage:
Replace PCV valve (3.0L and 3.8L engines only). (2)	69,000 MILES (115,000 Kilometers)
Inspect engine cooling system, hoses, and clamps; and check coolant strength every 15,000 miles (25,000 km) or 12 months.	Change engine oil and replace oil filter.  Rotate tires and adjust air pressure.
Inspect exhaust heat shield(s).	DEALER AUTHORIZATION
Inspect front and rear brakes. (1)	Date:
Rotate tires and adjust air pressure.	Mileage:
DEALER AUTHORIZATION	72,000 MILES (120,000 Kilometers)
Date: Mileage:	Change engine oil and replace oil filter.  Check battery fluid level (SHO only) every 2 months or 24,000 miles (40,000 km).  DEALER AUTHORIZATION  Date:  Mileage:

75,000 MILES (125,000 Kilometers)	84,000 MILES (140,000 Kilometers)	
Change engine oil and replace oil filter.	Change engine oil and replace oil filter.	
Inspect engine cooling system, hoses, and clamps; and check coolant strength every 15,000 miles (25,000 km) or 12 months.	Change automatic transaxle fluid.  DEALER AUTHORIZATION	
DEALER AUTHORIZATION	Date:	
Date:	Mileage:	
Mileage:	87,000 MILES (145,000 Kilometers)	
78,000 MILES (130,000 Kilometers)	Change engine oil and replace oil filter.	
	Rotate tires and adjust air pressure.	
Change engine oil and replace oil filter.	DEALER AUTHORIZATION	
Change engine coolant every 30,000 miles (50,000 km) or 36 months.	Date:	
Rotate tires and adjust air pressure.	Mileage:	
DEALER AUTHORIZATION	90,000 MILES (150,000 Kilometers)	
Date:	Change engine oil and replace oil filter.	
Mileage:	Replace spark plugs — 3.8L V-6 (except 3.8L V-6 California)	
81,000 MILES (135,000 Kilometers)	Inspect accessory drive belts.	
Change engine oil and replace oil filter.	Replace air cleaner filter.	
DEALER AUTHORIZATION  Date:	Inspect engine cooling system, hoses, and clamps; and check coolant strength every 15,000 miles (25,000 km) or 12 months.	
Mileage:	Inspect exhaust heat shield(s).	
	Inspect front and rear brakes. (1)	
SCOTT ACTIVITIES OF A NEW YORK	DEALER AUTHORIZATION	
	Date:	
	Mileage:	

93,000 MILES (155,000 Kilometers)	102,000 MILES (170,000 Kilometers)
Change engine oil and replace oil filter.  DEALER AUTHORIZATION  Date:	Change engine oil and replace oil filter.  DEALER AUTHORIZATION  Date:
Mileage:	Mileage:
96,000 MILES (160,000 Kilometers)	105,000 MILES (175,000 Kilometers)
Change engine oil and replace oil filter.	Change engine oil and replace oil filter.
Check battery fluid level (SHO only) every 24 months or 24,000 miles (40,000 km).  Rotate tires and adjust air pressure.	Inspect engine cooling system, hoses, and clamps; and check coolant strength every 15,000 miles (25,000 km) or 12 months.
DEALER AUTHORIZATION	Change automatic transaxle fluid.
Date:	Rotate tires and adjust air pressure.
Mileage:	DEALER AUTHORIZATION
99,000 MILES (165,000 Kilometers)	Date:
Change engine oil and replace oil filter.	Mileage:
DEALER AUTHORIZATION	108,000 MILES (180,000 Kilometers)
Date:	Change engine oil and replace oil filter.
Mileage:	Change engine coolant every 30,000 miles (50,000 km) or 36 months.
100,000 MILES (165,000 Kilometers)	DEALER AUTHORIZATION
Replace camshaft drive belt and adjust valve lash (3.0L/3.2L SHO models only).	Date: Mileage:
DEALER AUTHORIZATION	
Date:	
Mileage:	

		- Aug
111	1,000 MILES (1	85,000 Kilometers)
Chan	ge engine oil and	replace oil filter.
	RAUTHORIZATIO	
		Data
		Date:
		Mileage:
114	1,000 MILES (1	90,000 Kilometers)
Chan	ge engine oil and	replace oil filter.
Rota	te tires and adju	st air pressure.
	RAUTHORIZATIO	
		Date:
		Mileage:
117	7,000 MILES (1	95,000 Kilometers)
☐ Chan	ge engine oil and	replace oil filter
Contract Contract	RAUTHORIZATIO	
DEITEL	MOTTORIZATIO	
		Date:
		Mileage:
120	0.000 MILES (2	00,000 Kilometers)
		The second second
L Chan	ge engine oil and	replace oil filter.
🔲 Repla	ce spark plugs.	
Inspe	ct accessory drive	belt(s).
Renla	ce air cleaner filte	r
	ce air cleaner filter	18.00

Replace	PCV valve (3.0L and 3.8L engines only).
and che	engine cooling system, hoses, and clamps; ck coolant strength every 15,000 miles km) or 12 months.
Inspec	exhaust heat shield(s).
Inspec	front and rear brakes. (1)
	battery fluid level (SHO only) every 24 or 24,000 miles (40,000 km).
DEALER A	AUTHORIZATION
	Date:
	Mileage:
driving	riving habits include continuous stop-and-go or driving in hilly areas, more frequent ls may be required.
	godeska ott an ett it store at 45 i 25 i
	Maria o grafera e e como de elembro de la como de la co

# **Owner Maintenance** Checks

The following lists are vehicle checks and inspections that should be performed by the owner or qualified service technician at the frequencies indicated to help ensure safe, dependable operation of your vehicle.

Any adverse conditions should be brought to the attention of your dealer or qualified service technician for service advice as soon as possible.

These Owner Maintenance Checks are generally not covered by warranties and you may be charged for labor, parts and lubricants used.

### When You Stop for Fuel:

- Check the engine oil level.
- Check coolant level in coolant recovery bottle.
- Check the windshield washer fluid level.
- Look for low or under-inflated tires.

### While Operating Your Vehicle:

- Note any changes in the sound of the exhaust or any smell of exhaust fumes in the vehicle.
- Check for vibrations in the steering wheel. Notice any increased steering effort or looseness in the steering wheel.
- Notice if your vehicle constantly turns slightly or "pulls" to one side of the road.

When stopping, listen and check for strange sounds, pulling to one side, increased brake pedal travel or "hard to push" brake pedal.
☐ If any slipping or changes in the operation of your transaxle occur, check the transaxle fluid level.
Check automatic transaxle PARK function.
Check parking brake.
Check for fluid leaks under your vehicle (water dripping from the air conditioning system after use is normal).
At least monthly:
Check the tire pressure — check tires when cold, not after a long drive.
Check coolant level in the coolant recovery reservoir.
Check the operation of all exterior lamps, including the brakelamps, turn signals and hazard warning flashers.
At least twice a year: (i.e., every Spring and Fall)
Check radiator, heater and air-conditioning hoses for leaks or damage.
Check windshield washer spray and wiper operation. Check and replace worn wiper blades.
Check for worn tires and loose wheel lug nuts.
Check muffler, exhaust pipes, shields and clamps.

Check headlamp alignment.
Check the lap-shoulder belts for wear and function.
Check air pressure in spare tire.
Inspect halfshaft boots.
At least once a year:
Lubricate all hinges, checks, latches and all outside key locks.
Lubricate door rubber weatherstrips.
Clean the body water drain holes.
Check the air conditioning system before the warm weather season.
Check the power steering fluid level.
Inspect engine cooling system, hoses and clamps; and check coolant strength.
Check the brake fluid level.
Clean the battery connections.
Lubricate the transaxle controls and linkage.
Check manual transaxle fluid level.
If any of these conditions are noted, bring them to the attention of your dealer or qualified service technician as soon as possible.